

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product Identifier: **FOUR WAY ACTION**
Recommended Use: **AEROSOL LUBRICANT**
Restrictions on Use: **INDUSTRIAL USE ONLY**
Supplier: **SHARE CANADA**
Address: **1691 CHURCH AVENUE, WINNIPEG, MANITOBA R2X 2Y7**
Telephone Number: (204) 633-8553 Fax: (204) 633-8453
Emergency telephone number: **CANUTEC: (613) 996-6666**

SECTION 2 - HAZARDS IDENTIFICATION

WHMIS 2015 hazard classification: **EXTREMELY FLAMMABLE AEROSOL 1, ASPIRATION TOXIC 1**

Hazard Pictograms:



Signal word: **DANGER**
Hazard statement(s): **EXTREMELY FLAMMABLE AEROSOL
MAY BE FATAL IF SWALLOWED OR ENTERS AIRWAYS.**

Precautionary statements:
**KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES, HOT SURFACES. – NO SMOKING
DO NOT SPRAY ON AN OPEN FLAME OR OTHER IGNITION SOURCE
PRESSURIZED CONTAINER. DO NOT PIERCE OR BURN, EVEN AFTER USE**

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| CHEMICAL NAME | CAS REGISTRY NUMBER | CONCENTRATION % |
|---|---------------------|-----------------|
| HYDROCARBONS, C-11-C14 ISOALKANES,CYCLICS, < 2% AROMATICS | 647422-47-8 | 40 – 60 % |
| DISTILLATES (petroleum) SOLVENT – DEWAXED HEAVY PARAFFINIC | 64742-65-0 | 10 – 20 % |
| 2, (2-BUTOXY) ETHANOL DIETHYLENE GLYCOL MONOBUTYL ETHER | 112-34-5 | 2.5 – 10 % |
| PROPANE | 74-98-6 | 2.5 – 10 % |

Product Identifier: **FOUR WAY ACTION**

SECTION 4 – FIRST AID MEASURES

First-aid measures general: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING AND WASH BEFORE RE-USE. IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE. ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF MATERIALS INVOLVED AND TAKE PRECAUTIONS TO PROTECT THEMSELVES.

First-aid measures after inhalation: REMOVE VICTIM TO FRESH AIR. CONSULT A DOCTOR / MEDICAL SERVICE IN CASE OF RESPIRATORY PROBLEMS.

First-aid measures after skin contact: TAKE OFF CONTAMINATED CLOTHING. RINSE WITH WATER. IF SKIN IRRITATION OR RASH OCCURS, GET MEDICAL ADVICE / ATTENTION

First-aid measures after eye contact: RINSE IMMEDIATELY WITH WATER FOR 15 MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO SO. CONTINUE RINSING. IF EYE IRRITATION PERSISTS. GET MEDICAL ADVICE / ATTENTION.

First-aid measures after ingestion: CONSULT A PHYSICIAN IMMEDIATELY. RINSE MOUTH. DO NOT INDUCE VOMITING.

Symptoms / injuries after inhalation: NO EFFECTS KNOWN.

Symptoms / injuries after skin contact: CONTACT DURING A LONG PERIOD OF TIME MAY CAUSE LIGHT IRRITATION.

Symptoms / injuries after eye contact: DIRECT CONTACT WITH THE EYES IS LIKELY IRRITATING.

Symptoms / injuries after ingestion: SWALLOWING THE LIQUID MAY CAUSE ASPIRATION INTO THE LUNGS WITH THE RISK OF CHEMICAL PNEUMONITIS. RISK OF LUNG EDEMA.

Indication of any immediate medical attention and special treatment needed: TREAT SYMPTOMATICALLY.

SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media: POWDER, ALCOHOL – RESISTANT FOAM, WATER FOG, CARBON DIOXIDE..

Unsuitable extinguishing media: DO NOT USE A WATER JET SINCE IT MAY CAUSE THE FIRE TO SPREAD.

Special hazards arising from the substance or mixture:

Fire hazard: EXTREMELY FLAMMABLE AEROSOL.

Explosion hazard: CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED.

Reactivity: THIS PRODUCT IS NON-REACTIVE UNDER NORMAL CONDITIONS OF USE, STORAGE AND TRANSPORT.

Advice for firefighters:

Firefighting instructions: IN CASE OF FIRE AND / OR EXPLOSION, DO NOT BREATHE FUMES. MOVE CONTAINERS AWAY FROM FIRE AREA IF THIS CAN BE DONE WITHOUT RISK. NEVER DIRECT WATER JET ON LIQUID. USE WATER SPRAY OR FOG TO COOL EXPOSED CONTAINERS.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

General measures: EVACUATE UNNECESSARY PERSONNEL. STAY UPWIND / KEEP DISTANCE FROM THE SOURCE. GAS IS DENSER THAN AIR. MAY ACCUMULATE IN LOW AREAS CLOSE TO THE GROUND. VAPOURS ARE HEAVIER THAN AIR AND MAY TRAVEL CONSIDERABLE DISTANCE TO AN IGNITION SOURCE AND FLASH BACK TO SOURCE OF VAPOURS.

For non-emergency personnel:

Protective equipment: DO NOT ENTER WITHOUT APPROPRIATE PROTECTIVE EQUIPMENT. DO NOT BREATHE GAS / VAPOUR. DO NOT TOUCH SPILLED MATERIAL.

Emergency procedures: VENTILATE THE AREA THOROUGHLY, ESPECIALLY LOW LYING AREAS (BASEMENTS, WORK PITS ETC.) ADVISE LOCAL AUTHORITIES IF CONSIDERED NECESSARY.

For emergency responders: NO ADDITIONAL INFORMATION AVAILABLE..

Methods for cleaning up: TAKE UP LIQUID SPILL INTO ABSORBANT MATERIAL.

Reference to other sections: NO ADDITIONAL INFORMATION AVAILABLE. FLUSH AREA WITH WATER. CLEAN THOROUGHLY.

Product Identifier: FOUR WAY ACTION

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling: EXCLUDE SOURCES OF HEAT, SPARKS AND OPEN FLAME. PRESSURIZED CONTAINER. DO NOT PIERCE OR BURN EVEN AFTER USE. DO NOT USE IF SPRAY BUTTON IS MISSING OR DEFECTIVE. DO NOT SPRAY ON A NAKED FLAME OR ANY INCANDESCENT MATERIAL. DO NOT SMOKE WHEN HANDLING THIS PRODUCT. HANDLING THIS PRODUCT MAY RESULT IN ELECTROSTATIC ACCUMULATION. USE PROPER GROUNDING PROCEDURE. AVOID BREATHING SPRAY, USE OUTDOORS OR IN A WELL-VENTILATED AREA. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED.

Hygiene measures: WASH THOROUGHLY AFTER HANDLING. USE GOOD PERSONAL HYGIENE PRACTICES. :

Technical measures: DO NOT PUNCTURE, INCINERATE OR CRUSH. KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS AND OPEN FLAME AND OTHER IGNITION SOURCES. NO SMOKING. Storage conditions: PRESSURIZED CONTAINER. PROTECT FROM SUNLIGHT. DO NOT EXPOSE TO TEMPERATURES EXCEEDING 50 ° C.

Incompatible materials: HEAT SOURCES, IGNITION SOURCES. NO SMOKING.

Storage area: AEROSOL 3. STORE IN A COOL AREA.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

PROPANE (74-98-6) ACGIH TWA 1000 ppm OSHA PEL TWA 1000 ppm
2, (2-BUTOXY)ETHANOL DIETHYLENE GLYCOL MONOBUTYL ETHER 112-34-5 ACGIH TWA 10 ppm

Personal protective equipment: GLOVES, PROTECTIVE CLOTHING. SAFETY GLASSES. IF PERMISSIBLE LEVELS ARE EXCEEDED. USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT WHEN RISK ASSESSMENT INDICATES THIS IS NECESSARY.



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|----------------------------------|
| Physical state: | LIQUID |
| Colour and appearance: | AEROSOL. AMBER DARK BROWN LIQUID |
| Odour: | CHARACTERISTIC. |
| Odour threshold: | NO DATA AVAILABLE |
| pH: | NO DATA AVAILABLE |
| Melting point: | NO DATA AVAILABLE |
| Freezing point: | NO DATA AVAILABLE |
| Boiling point: | NO DATA AVAILABLE |
| Flash point: | - 104 ° C. CLOSED CUP |
| Relative evaporation rate (butyl acetate = 1 | NO DATA AVAILABLE |
| Flammability (solid, gas): | NO DATA AVAILABLE |
| Explosive properties: | NO DATA AVAILABLE |
| Oxidizing properties: | NO DATA AVAILABLE |
| Vapour pressure: | NO DATA AVAILABLE |
| Relative density: | NO DATA AVAILABLE |
| Relative vapour density at 20 °C: | NO DATA AVAILABLE |
| Specific gravity /density: | 0.831 – 0.851 g / mL (estimated) |
| Solubility: | NOT DETERMINED |
| Log Pow: | NO DATA AVAILABLE |
| Log Kow: | NO DATA AVAILABLE |
| Auto-ignition temperature: | 254.99 ° C. |
| Decomposition temperature: | NO DATA AVAILABLE |
| Viscosity: | NO DATA AVAILABLE |
| Viscosity, kinematic: | > 20 cSt |
| Viscosity, dynamic: | NO DATA AVAILABLE |
| VOC content. | NO DATA AVAILABLE |

Product Identifier: FOUR WAY ACTION

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: HAZARDOUS POLYMERIZATION DOES NOT OCCUR.

Possibility of hazardous reactions: HAZARDOUS POLYMERIZATION DOES NOT OCCUR.

Conditions to avoid: HEAT, SPARKS AND OPEN FLAME. AEROSOL CONTAINERS ARE UNSTABLE AT TEMPERATURES ABOVE 49° C. AVOID TEMPERATURES EXCEEDING THE FLASHPOINT.

Incompatible materials: NO ADDITIONAL INFORMATION.

Hazardous decomposition products: UNDER NORMAL CONDITIONS OF STORAGE AND USE, HAZARDOUS DECOMPOSITION PRODUCTS SHOULD NOT BE PRODUCED.

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute toxicity: DERMAL: NOT CLASSIFIED.

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS
(64742-47-8) LD50 DERMAL RABBIT > 5000 MG/KG BODY WEIGHT (RABBIT; LITERATURE)

Skin Corrosion/Irritation : NOT CLASSIFIED

Serious Eye Damage/Irritation : NOT CLASSIFIED.

Respiratory Or Skin Sensitization : NOT CLASSIFIED

Germ Cell Mutagenicity : NOT CLASSIFIED

Carcinogenicity : NOT CLASSIFIED.

Reproductive Toxicity : NOT CLASSIFIED

Specific Target Organ Toxicity (Single Exposure) : NOT CLASSIFIED

Specific Target Organ Toxicity (Repeated Exposure) : NOT CLASSIFIED

Aspiration Hazard : MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

Symptoms/Injuries After Skin Contact : CONTACT DURING A LONG PERIOD MAY CAUSE LIGHT IRRITATION.

Symptoms/Injuries After Eye Contact : DIRECT CONTACT WITH THE EYES IS LIKELY IRRITATING.

Symptoms/Injuries After Ingestion : SWALLOWING THE LIQUID MAY CAUSE ASPIRATION INTO THE LUNGS WITH THE RISK OF CHEMICAL PNEUMONITIS. RISK OF LUNG EDEMA.

Likely Routes Of Exposure : SKIN AND EYE CONTACT, INHALATION. INGESTION

Product Identifier: **FOUR WAY ACTION**

SECTION 12 - ECOLOGICAL INFORMATION

Ecology (General): **NO ADDITIONAL INFORMATION AVAILABLE**
Persistence and degradability: **NO ADDITIONAL INFORMATION AVAILABLE**
Bioaccumulation potential: **NO ADDITIONAL INFORMATION AVAILABLE**

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste treatment methods: **CONTENTS UNDER PRESSURE. DO NOT PUNCTURE, INCINERATE, OR CRUSH. DISPOSE OF CONTENTS/CONTAINER TO COMPLY WITH LOCAL / REGIONAL / NATIONAL / INTERNATIONAL REGULATIONS**
Additional information: **THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE MANNER. EMPTY CONTAINERS SHOULD BE TAKEN FOR RECYCLING. HANDLE UNCLEAN EMPTY CONTAINERS AS FULL ONES.**

SECTION 14 – TRANSPORT INFORMATION

T.D.G. Shipping Name: **AEROSOLS, FLAMMABLE**
Class: **2.1**
UN Number: **UN 1950**
Packing Group: **Not applicable.**
Limited quantity exemption: **CONTAINER UNDER 1 LITRE.**

SECTION 15 - REGULATORY INFORMATION

THE CLASSIFICATION, LABEL AND SDS COMPLIES WITH THE REQUIREMENTS OF WHMIS 2015

SECTION 16 - OTHER INFORMATION

Information Sources: **SUPPLIER'S SDS**
Prepared by: **SHARE CANADA**
Telephone: **1-204-633-8553**
Latest revision date: **JULY 12, 2016**