

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product Identifier: BASEBOARD STRIPPER
Recommended Use: AEROSOL BASEBOARD STRIPPER
Restrictions on Use: INDUSTRIAL USE ONLY
Supplier: SHARE CANADA
Address: 1691 CHURCH AVENUE, WINNIPEG, MANITOBA R2X 2Y7
Telephone Number: (204) 633-8553 Fax: (204) 633-8453
Emergency telephone number: CANUTEC: (613) 996-6666

SECTION 2 - HAZARDS IDENTIFICATION

WHMIS 2015 hazard classification: FLAMMABLE AEROSOL 1, SKIN AND EYE IRRITANT
SKIN SENSITIZER

Hazard Pictograms:



Signal word: DANGER
Hazard statement(s): EXTREMELY FLAMMABLE AEROSOL CAUSES SKIN IRRITATION.
MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.

Precautionary statements:

KEEP AWAY FROM HEAT, HOT SURFACES, OPEN FLAME, SPARKS. – NO SMOKING
DO NOT SPRAY ON AN OPEN FLAME OR OTHER IGNITION SOURCE
PRESSURIZED CONTAINER. DO NOT PIERCE OR BURN, EVEN AFTER USE
WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING MUST, VAPOURS
WEAR PROTECTIVE GLOVES.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS REGISTRY NUMBER	CONCENTRATION %
2-BUTOXYETHANOL,	111-76-2	20 – 40 %
ETHYLENE GLYCOL MONOBUTYL ETHER, BUTYL CELLOSOLVE		
BUTANE	106-97-8	2.5 – 10 %
PROPANE	74-98-6	1 – 2.5 %
AMMONIA, ANHYDROUS	7664-41-7	0.1 – 1 %
PINE OILS	8002-09-3	0.1 – 1%

SECTION 4 – FIRST AID MEASURES

First-aid measures general: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. AND WASH BEFORE RE-USE. IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE. ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF MATERIALS INVOLVED AND TAKE PRECAUTIONS TO PROTECT THEMSELVES. SHOW THIS SHEET WHERE POSSIBLE. KEEP WATCHING THE VICTIM. KEEP THE VICTIM WARM AND RESTED. WASH CONTAMINATED CLOTHING BEFORE RE-USE.
First-aid measures after inhalation: REMOVE VICTIM AWAY FROM THE CONTAMINATED AREA AND INTO FRESH AIR. CALL A POISON CONTROL CENTRE OR DOCTOR.
First-aid measures after skin contact: TAKE OFF CONTAMINATED CLOTHING. GET IMMEDIATE MEDICAL ADVICE / ATTENTION. WASH CONTAMINATED CLOTHING BEFORE RE-USE.
First-aid measures after eye contact: RINSE IMMEDIATELY WITH WATER FOR 15 MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO SO. CONTINUE RINSING
First-aid measures after ingestion: IMMEDIATELY CALL A POISON CONTROL CENTRE OR DOCTOR. DO NOT INDUCE VOMITING WITHOUT MEDICAL ADVICE. VOMITING: PREVENT ASPHIXIA / ASPIRATION PNEUMONIA.
Symptoms / injuries after inhalation: NONE UNDER NORMAL USE.

Product Identifier: **BASEBOARD STRIPPER**

Symptoms / injuries after skin contact: **DERMATITIS. SKIN RASH / INFLAMMATION. CAUSES SKIN IRRITATION. RED SKIN. MAY CAUSE AN ALLERGIC SKIN REACTION.**

Symptoms / injuries after eye contact: **CAUSES SERIOUS EYE IRRITATION. TREAT SYMPTOMATICALLY. SYMPTOMS MAY BE DELAYED. KEEP WATCHING THE VICTIM.**

SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media: **ALCOHOL – RESISTANT FOAM, WATER FOG, CARBON DIOXIDE.**
Unsuitable extinguishing media: **DO NOT USE A WATER JET SINCE IT MAY CAUSE THE FIRE TO SPREAD.**

Fire hazard: **EXTREMELY FLAMMABLE AEROSOL. MAY LIBERATE TOXIC GASES. COMBUSTION PRODUCES IRRITATING GASES.**

Explosion hazard: **CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED.**

Reactivity: **REACTS VIOLENTLY WITH STRONG ACIDS. MAY REACT WITH OXIDIZING AGENTS.**

Firefighting instructions: **IN CASE OF FIRE OR EXPLOSION, DO NOT BREATHE FUMES. MOVE CONTAINERS AWAY FROM FIRE AREA IF THIS CAN BE DONE WITHOUT RISK. NEVER DIRECT WATER JET ON LIQUID. USE WATER SPRAY OR FOG TO COOL EXPOSED CONTAINERS.**

SECTION 6 – ACCIDENTAL RELEASE MEASURES

General measures: **NO FLAMES. NO SPARKS. ELIMINATE ALL SOURCES OF IGNITION.**

For non-emergency personnel:

Protective equipment: **DO NOT ENTER WITHOUT APPROPRIATE PROTECTIVE EQUIPMENT. DO NOT BREATHE VAPOURS. DO NOT TOUCH SPILLED MATERIAL.**

For emergency responders:

Protective equipment: **DO NOT ENTER WITHOUT APPROPRIATE PROTECTIVE EQUIPMENT.**

Emergency procedures: **VENTILATE AREA. STOP RELEASE. STOP LEAK IF SAFE TO DO SO.**

Environmental precautions: **AVOID DISCHARGE TO THE ENVIRONMENT. DO NOT CONTAMINATE WATER WITH THIS PRODUCT OR ITS CONTAINER. DO NOT ALLOW TO ENTER DRAINS OR WATER COURSES.**

Methods for cleaning up: **.LUSH AREA WITH WATER. CLEAN THOROUGHLY. DISPOSED AS HAZARDOUS WASTE.**

Reference to other sections: **NO ADDITIONAL INFORMATION AVAILABLE.**

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling: **EXCLUDE SOURCES OF HEAT, SPARKS AND OPEN FLAME. PRESSURIZED CONTAINER. DO NOT PIERCE OR BURN EVEN AFTER USE. DO NOT USE IF SPRAY BUTTON IS MISSING OR DEFECTIVE. DO NOT SPRAY ON A NAKED FLAME OR ANY INCANDESCENT MATERIAL. DO NOT SMOKE WHEN HANDLING THIS PRODUCT. DO NOT RE-USE EMPTY CONTAINERS. HANDLING THIS PRODUCT MAY RESULT IN ELECTROSTATIC ACCUMULATION. AVOID BREATHING MIST, VAPOURS, AEROSOL SPRAY. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. WEAR RECOMMENDED PROTECTIVE EQUIPMENT.**

Hygiene measures: **WASH THOROUGHLY AFTER HANDLING. USE GOOD PERSONAL HYGIENE PRACTICES.**

Conditions for safe storage, including any incompatibilities:

Technical measures: **DO NOT PUNCTURE, INCINERATE OR CRUSH. KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS AND OPEN FLAME AND OTHER IGNITION SOURCES. NO SMOKING. Storage conditions: STORE IN A COOL AREA.**

Incompatible materials: **PROTECT FROM SUNLIGHT. DO NOT EXPOSE TO TEMPERATURES EXCEEDING 50 ° C.**

Storage area: **AEROSOL 1.**

Product Identifier: BASEBOARD STRIPPER

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters: BUTANE (106-97-8) ACGIH TWA 1000 ppm ACGIH STEL 1000 ppm
PROPANE (74-98-6) ACGIH TWA 1000 ppm OSHA PEL TWA 1000 ppm
2, (2-BUTOXY)ETHANOL DIETHYLENE GLYCOL MONOBUTYL ETHER 112-34-5 ACGIH TWA 10 ppm

Exposure controls: ENSURE ADEQUATE VENTILATION ESPECIALLY IN CONFINED AREAS.
EMERGENCY EYEWASH FOUNTAINS AND SAFETY SHOWERS SHOULD BE AVAILABLE IN THE IMMEDIATE VICINITY OF ANY POTENTIAL EXPOSURE. AVOID EXPOSURE. OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.

Personal protective equipment: GLOVES, FACE SHIELD, PROTECTIVE CLOTHING. . USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT WHEN RISK ASSESSMENT INDICATES THIS IS NECESSARY.



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	LIQUID
Colour and appearance:	BROWN LIQUID FOAMING SPRAY
Odour:	SOLVENT – LIKE ODOUR.
Odour threshold:	NO DATA AVAILABLE
pH:	NO DATA AVAILABLE
Melting point:	11.5 – 12.5
Freezing point:	NO DATA AVAILABLE
Boiling point:	NO DATA AVAILABLE
Flash point:	- 104 ° C. CLOSED CUP
Relative evaporation rate (butyl acetate = 1)	NO DATA AVAILABLE
Flammability (solid, gas):	NO DATA AVAILABLE
Explosive properties:	NO DATA AVAILABLE
Oxidizing properties:	NO DATA AVAILABLE
Vapour pressure:	NO DATA AVAILABLE
Relative density:	NO DATA AVAILABLE
Relative vapour density at 20 °C:	NO DATA AVAILABLE
Specific gravity /density:	0.912 g / mL
Solubility:	NO DATA AVAILABLE
Log Pow:	NO DATA AVAILABLE
Log Kow:	NO DATA AVAILABLE
Auto-ignition temperature:	NO DATA AVAILABLE
Decomposition temperature:	NO DATA AVAILABLE
Viscosity:	NO DATA AVAILABLE
Viscosity, kinematic:	NO DATA AVAILABLE
Viscosity, dynamic:	NO DATA AVAILABLE
VOC content:	31 %

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: REACTS VIOLENTLY WITH STRONG ACIDS. THIS PRODUCT MAY REACT WITH OXIDIZING AGENTS.

Chemical stability: THIS PRODUCT IS STABLE AT NORMAL HANDLING AND STORAGE CONDITIONS.

Conditions to avoid: HEAT, SPARKS AND OPEN FLAME. AEROSOL CONTAINERS ARE UNSTABLE AT TEMPERATURES ABOVE 49° C. AVOID TEMPERATURES EXCEEDING THE FLASHPOINT.
Incompatible materials: NO ADDITIONAL INFORMATION.

Hazardous decomposition products: NO ADDITIONAL INFORMATION.

SECTION 11 – TOXICOLOGICAL INFORMATION

Product Identifier: **BASEBOARD STRIPPER**

Acute toxicity : **NOT CLASSIFIED**

Ammonia, anhydrous (7664-41-7) LD50 dermal rat 2781 mg /kg LC50 inhalation rat (mg/l) 712 l / 4 hr

2-butoxyethanol, ethylene glycol monobutyl ether, butyl cellosolve (111-76-2)	
ATE CLP (oral)	500.000 mg/kg body weight
ATE CLP (dermal)	1100.000 mg/kg body weight
ATE CLP (dust, mist)	1.500 mg/l/4h

pine oils (8002-09-3)	
LD50 oral rat	3200 mg/kg (Rat)
LD50 dermal rabbit	5000 mg/kg (Rabbit)
ATE CLP (oral)	3200.000 mg/kg body weight
ATE CLP (dermal)	5000.000 mg/kg body weight

- Skin corrosion/irritation** : **CAUSES SKIN IRRITATION.
PH: 11.5 - 12.5**
- Serious eye damage/irritation** : **CAUSES SERIOUS EYE IRRITATION.
PH: 11.5 - 12.5**
- Respiratory or skin sensitization** : **MAY CAUSE AN ALLERGIC SKIN REACTION.**
- Germ cell mutagenicity** : **NOT CLASSIFIED.**
- Carcinogenicity** : **NOT CLASSIFIED.**
- Reproductive toxicity** : **NOT CLASSIFIED**
- Specific target organ toxicity (single exposure)** : **NOT CLASSIFIED**
- Specific target organ toxicity (repeated exposure)** : **NOT CLASSIFIED**
- Aspiration hazard** : **NOT CLASSIFIED**
- Potential Adverse human health effects and symptoms** : **SMALL AMOUNTS OF LIQUID ASPIRATED INTO THE RESPIRATORY SYSTEM DURING INGESTION/VOMITING MAY CAUSE BRONCHOPNEUMONIA OR PULMONARY EDEMA. DERMATITIS. ALLERGIC SKIN RASH. SKIN IRRITATION. REDNESS, PAIN.**
- Symptoms/injuries after inhalation** : **NONE UNDER NORMAL USE.**
- Symptoms/injuries after skin contact** : **DERMATITIS. SKIN RASH/INFLAMMATION. IRRITATION. RED SKIN. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SKIN IRRITATION.**
- Symptoms/injuries after eye contact** : **CAUSES SERIOUS EYE IRRITATION.**

Product Identifier: BASEBOARD STRIPPER

SECTION 12 - ECOLOGICAL INFORMATION

Ecology (General):	NO ADDITIONAL INFORMATION AVAILABLE
Persistence and degradability:	NO ADDITIONAL INFORMATION AVAILABLE
Bioaccumulation potential:	NO ADDITIONAL INFORMATION AVAILABLE

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste treatment methods: CONTENTS UNDER PRESSURE. DO NOT PUNCTURE, INCINERATE, OR CRUSH. DISPOSE OF CONTENTS/CONTAINER TO COMPLY WITH LOCAL / REGIONAL / NATIONAL / INTERNATIONAL REGULATIONS.

Additional information: THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE MANNER AS HAZARDOUS WASTE. EMPTY CONTAINERS SHOULD BE TAKEN FOR RECYCLING, RECOVERY OR WASTE IN ACCORDANCE WITH LOCAL REGULATIONS. HANDLE UNCLEAN EMPTY CONTAINERS AS FULL ONES.

SECTION 14 – TRANSPORT INFORMATION

T.D.G. Shipping Name: AEROSOLS, FLAMMABLE
Class: 2.1
UN Number: UN 1950
Packing Group: Not applicable.
Limited quantity exemption: CONTAINER UNDER 1 LITRE.

SECTION 15 - REGULATORY INFORMATION

THE CLASSIFICATION, LABEL AND SDS COMPLIES WITH THE REQUIREMENTS OF WHMIS 2015

SECTION 16 - OTHER INFORMATION

Information Sources: SUPPLIER'S SDS
Prepared by: SHARE CANADA
Telephone: 1-204-633-8553
Latest revision date: JULY 12, 2016