# SAFETY DATA SHEET

### **SECTION 1 - IDENTIFICATION**

Product Identifier:LEMON D'ODORRecommended Use:WATER – BASED DEODORANTRestrictions on Use:INDUSTRIAL OR PROFESSIONAL USE ONLYSupplier:SHARE CANADAAddress:1691 CHURCH AVENUE, WINNIPEG, MANITOBA R2X 2Y7Telephone Number:(204) 633-8553Emergency telephone number:CANUTEC:(613) 996-6666

### **SECTION 2 - HAZARDS IDENTIFICATION**

WHMIS 2015 hazard classification: FLAMMABLE LIQUID 3 H226 SKIN SENSITIZER 1 H317. EYE DAMAGE 1 H318 Hazard pictograms:



Signal word:

### DANGER

Hazard statement(s):

### FLAMMABLE LIQUID AND VAPOUR.

May causes an allergic skin reaction. Causes serious eye damage.

**Precautionary statements:** Keep away from heat, open flame, sparks. No smoking Keep container tightly closed. Ground / bond container and receiving equipment.

Use explosion-proof electrical, lighting, ventilation equipment.

Use only non-sparking tools.

Take precautionary measures against status discharge.

Avoid breathing mist, spray.

Contaminated clothing must not be allowed out of the workplace.

Wear eye protection, face protection, protective clothing, protective gloves.

Store in a well-ventilated place. Keep cool.

Dispose of contents / containers to comply with local / regional / national / international regulations.

#### **SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

| CHEMICAL NAME           | CAS REGISTRY NUMBER | <b>CONCENTRATION %</b> |
|-------------------------|---------------------|------------------------|
| 2-PROPANOL              | 67-63-0             | 3 – 7 %                |
| LINEAR ALCOHOL ETHOXYLA | TE 34398-01-1       | 1 – 5 % %              |
| (+)- LIMONENE           | 5989-27-5           | 0.5 – 1.5 %            |

### SECTION 4 – FIRST AID MEASURES

**First-aid measures general:** If you feel unwell, seek medical advice. (Show label where possible)

**First-aid measures after inhalation:** Move person to fresh air and keep comfortable for breathing.

**First-aid measures after skin contact:** Remove / take off immediately all contaminated clothing. Rinse skin with water / shower. If skin irritation or rash occurs, get medical attention.

# Product Identifier: LEMON D'ODOR

**First-aid measures after eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Immediately call a poison control centre / doctor / physician.

**First-aid measures after ingestion:** Rinse mouth with water. Do not induce vomiting. **Symptoms / effects:** Causes serious eye damage

Symptoms / effects after inhalation: None under normal use.

**Symptoms / effects after skin contact:** Contact during a long period may cause slight irritation. May cause an allergic skin reaction.

**Symptoms / effects after eye contact:** Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms / effects after ingestion: Gastrointestinal complaints, nausea, vomiting.

# **SECTION 5 – FIRE FIGHTING MEASURES**

| Suitable extinguishing me         | dia Carbon dioxide, dry powder, foam.  |
|-----------------------------------|--|
| Fire hazard:<br>Reactivity:       | Flammable liquid and vapour.<br>Thermal decomposition may produce oxides of carbon and nitrogen.   |
| Firefighting instructions         | Exercise caution when fighting any chemical fire.<br>Use water spray or fog for cooling exposed<br>containers. Take account of environmentally |
| Protection during<br>firefighting | Do not enter fire area without proper protective equipment, including respiratory protection.  |

# SECTION 6 – ACCIDENTAL RELEASE MEASURES

Isolate from fire if possible without unnecessary risk. No flames, no sparks. Eliminate all sources of ignition. Use special care to avoid static electric charges.

For non-emergency personnel:

Protective equipment: Gloves, protective goggles, protective clothing.

Emergency procedures: Evacuate unnecessary personnel. Avoid contact with skin,

eyes and clothing. Ventilate spillage area.

For emergency responders:

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Stop leak if safe to do so. Stop release. Ventilate area.

**Environmental precautions:** Avoid release to the environment. Prevent entry to sewers and public waters.

**Methods for cleaning up:** This material and its container must be disposed of in a safe way, as per local legislation.

# SECTION 7 – HANDLING AND STORAGE

**Precautions for safe handling:** Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Keep container tightly closed when not in use. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Avoid breathing mist, spray.

**Hygiene measures:** Wash thoroughly after handling. Wash contaminated clothing before re-use.

# Product Identifier: LEMON D'ODOR

**Storage conditions:** Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

Incompatible products: Oxidizing agents.

Incompatible materials: Ignition sources. Heat sources.

Storage area: Meet the legal requirements. Store in a cool, dry area.

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

| 2-PROPANOL | 67-63-0            |                              |
|------------|--------------------|------------------------------|
| ACGIH      | ACGIH – TLV (ppm)  | 200 ppm                      |
| ACGIH      | ACGIH – STEL (ppm) | 400 ppm                      |
| ACGIH      | REMARK (ACGIH)     | Eye & URT irr.<br>CNS impair |

**Personal protective equipment:** Gloves, safety glasses, protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



# SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| Colour and appearance:<br>Odour:<br>Odour threshold:<br>pH:<br>Melting point:<br>Freezing point:<br>Boiling point:<br>Flash point:<br>Relative evaporation rate (butyl acetate = 1<br>Flammability (solid, gas):<br>Explosive properties:<br>Oxidizing properties:<br>Oxidizing properties:<br>Vapour pressure:<br>Relative density:<br>Relative vapour density at 20 °C:<br>Specific gravity /density:<br>Solubility:<br>Log Pow:<br>Log Kow:<br>Auto-ignition temperature:<br>Decomposition temperature: | Clear to hazy yellow liquid<br>Lemon-like odour.<br>No data available<br>7 – 8.5<br>No data available<br>No data available<br>A3 ° C (CLOSED CUP)<br>No data available<br>No data available |
|--|--|
|  |  |
| Viscosity:<br>Viscosity, kinematic:  | No data available<br>No data available   |
| Viscosity, dynamic:  | No data available  |
| VOC content.   | < 10   |

# SECTION 10 - STABILITY AND REACTIVITY

**Reactivity:** Thermal decomposition may produce oxides of carbon and nitrogen. **Chemical stability:** No additional information available.

Possibility of hazardous reactions: See above.

Incompatible materials: Oxidizing agent.

Conditions to avoid: overheating. Open flame.

**Hazardous decomposition products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11 – TOXICOLOGICAL INFORMATION

Acute toxicity: Not classified.

### 2- PROPANOL 67-63-0

LD 50 (oral rat) 5045 mg/kg (Rat OECD 401: Acute oral toxicity Experimental value 5840 mg/kg body weight (rat)

LD 50 (dermal rabbit) 16400 mg/kg (Rabbit Experimental value. Equivalent or similar to OECD 402; 24h

LC 50 (inhalation rat) ppm > 10000 ppm Equivalent or similar to OECD 403; 6 h(Rat male/female) Experimental value

### (+) – LIMONENE (5989-27-5)

| LD 50 (oral rat)      | 2000 mg/kg bodyweight (Rat OECD 423 : Acute oral toxicity – Acute<br>Toxic Class Method ; Literature study > 2000 mg/kg body weight Rat<br>female Read across) |
|-----------------------|--|
| LD 50 (dermal rabbit) | > 5000 mg/kg body weight Equivalent or similar to OECD 402; Rabbit, weight of evidence   |
| ATE CLP (ORAL)        | 4400.000 mg/kg body weight   |

#### Linear alcohol exothylate (34398-01-1)

LD 50 (oral rat)

>1400 mg/kg

LD 50 (Orai Tat)

Skin corrosion/irritation:

Not classified.

**Serious eye damage/irritation:** Causes serious eye damage. pH 7 – 8.5

**Respiratory or skin sensitization:** May cause an allergic skin reaction.

| Germ cell mutagenicity: | Not classified. |
|-------------------------|-----------------|
| Carcinogenicity:        | Not classified  |

| our enrogementy.           | Not classifica.      |
|----------------------------|----------------------|
| 2- PROPANOL 67-63-0        | 3 – NOT CLASSIFIABLE |
| (+) – LIMONENE (5989-27-5) | 3 – NOT CLASSIFIABLE |

**Reproductive toxicity:** 

Not classified.

Specific target organ toxicity (single exposure): Not classified. Specific target organ toxicity (repeated exposure): Not classified. Aspiration hazard: Not classified.

Symptoms / injuries after inhalation: None under normal use

**Symptoms / injuries after skin contact:** Contact during a long period may cause slight irritation. May cause an allergic skin reaction.

Symptoms / injuries after eye contact: Causes serious eye damage.

Corrosion of the eye tissue. Permanent eye damage.

Symptoms /injuries after ingestion: Gastrointestinal complaints, nausea, vomiting.

Likely routes of exposure: Skin and eye contact.

# SECTION 12 - ECOLOGICAL INFORMATION

Ecology (General):No additional information availablePersistence and degradability:No additional information availableBioaccumulation potential:No additional information available

### SECTION 13 – DISPOSAL CONSIDERATIONS

Waste disposal recommendations: DISPOSE OF IN A SAFE MANNER IN ACCORDANCE WITH LOCAL / NATIONAL REGULATIONS.

### **SECTION 14 – TRANSPORT INFORMATION**

**T.D.G.** Not regulated by TDG.

### SECTION 15 - REGULATORY INFORMATION

The classification, label and SDS complies with the requirements of WHMIS

**SECTION 16 - OTHER INFORMATION** 

| Information Sources:  | SUPPLIER'S SAFETY DATA SHEET |
|-----------------------|------------------------------|
| Prepared by:          | SHARE CANADA                 |
| Telephone:            | 1-204-633-8553               |
| Latest revision date: | December 12, 2024            |